

## **Designing comfort**



## CREATING COMFORT FOR FOR MORE THAN **50 YEARS**

Marsan Industrial has been taking care of you and your family **since 1971**. We offer you solutions adapted to your needs, always thinking of your maximum comfort and that of your family.

The trust of our customers has made us a benchmark in more than 30 countries on 5 continents.

Company 100% Spanish













Everyday comfort, no worries.

The **TAC-0923WC** and **TAC-1223WC** air conditioners guarantee the highest comfort while maintaining low power consumption.

Thanks to our new range of **TAC** portable air conditioners, you will have a real sense of well-being in your home during the summer months.

Get fresh air for your home, without your wallet noticing, plus it includes a hot air tube and sliding window kit.

You can control your air conditioning from anywhere, at any time, as long as you have Internet access. The effect is almost instantaneous, no matter the distance between you and your equipment.. Control panel



Ambient temperature on display



Wheels included









TAC-0923WC

TAC-1223WC

## SPECIFICATIONS & FEATURES



Dimonoiono (om/in)		т		
Dimensions (cm/in)	-		Cooling capacity	
Width 35,8 / 14,09	8		Sound level	2300frig/h (9000BTU)
Length 41,9 / 16,49				65(dB)
Height 68,8 / 27,08		E	Refrigerant gas	R290
	~	CU	Air flow (m³/h)	350
Unit weight (kg/lbs)		68,8	Dimensions	
27 / 59,52		8	(Width*Length*Height)(	
			Voltage(V) / Frequency	
			Power consumption	1000W
Packing weight (kg/lbs)	**		For rooms up to	22m²
30,5 / 67,24				
		÷	A***	
	41,9 cm			
		<b>T</b>		
Dimensions (cm/in)				<b>TAC-1223WC</b>
			<b>o</b> "	
Width 35,8 / 14,09			Cooling capacity	3000frig/h (12000BTU)
Width 35,8 / 14,09 Length 41,9 / 16,49			Sound level	65(dB)
Width 35,8 / 14,09		Ę	Sound level Refrigerant gas	65(dB) R290
Width 35,8 / 14,09 Length 41,9 / 16,49 Height 68,8 / 27,08		cm	Sound level	65(dB)
Width 35,8 / 14,09 Length 41,9 / 16,49		S cm	Sound level Refrigerant gas	65(dB) R290
Width 35,8 / 14,09 Length 41,9 / 16,49 Height 68,8 / 27,08	-	38,8 cm	Sound level Refrigerant gas Air flow (m³/h)	65(dB) R290 350
Width 35,8 / 14,09 Length 41,9 / 16,49 Height 68,8 / 27,08 Unit weight (kg/lbs)	-	68,8 cm	Sound level Refrigerant gas Air flow (m <sup>3</sup> /h) Dimensions (Width*Length*Height)(	65(dB) R290 350
Width 35,8 / 14,09 Length 41,9 / 16,49 Height 68,8 / 27,08 Unit weight (kg/lbs)		68,8 cm	Sound level Refrigerant gas Air flow (m <sup>3</sup> /h) Dimensions (Width*Length*Height)(	65(dB) R290 350 mm) 358*419*688
Width 35,8 / 14,09 Length 41,9 / 16,49 Height 68,8 / 27,08 Unit weight (kg/lbs)		68,8 cm	Sound level Refrigerant gas Air flow (m³/h) Dimensions (Width*Length*Height)( Voltage(V) / Frequency(	65(dB) R290 350 mm) 358*419*688 (Hz) 220 - 240 V / 50Hz
Width 35,8 / 14,09 Length 41,9 / 16,49 Height 68,8 / 27,08 Unit weight (kg/lbs) 27 / 59,52 Packing weight (kg/lbs)		68,8 cm	Sound level Refrigerant gas Air flow (m <sup>3</sup> /h) Dimensions (Width*Length*Height)( Voltage(V) / Frequency Power consumption	65(dB) R290 350 mm) 358*419*688 (Hz) 220 - 240 V / 50Hz 1350W
Width 35,8 / 14,09 Length 41,9 / 16,49 Height 68,8 / 27,08 Unit weight (kg/lbs) 27 / 59,52	41,9 cm	68,8 cm	Sound level Refrigerant gas Air flow (m <sup>3</sup> /h) Dimensions (Width*Length*Height)( Voltage(V) / Frequency Power consumption	65(dB) R290 350 mm) 358*419*688 (Hz) 220 - 240 V / 50Hz 1350W



annan



www.haverland.co.uk Haverland UK Limited Tel: 0330 3651 940 | haverland@haverland.co.uk

\*126

X